

INDUSTRIAL BLADES FOR MACHINE PROCESSING IN TEXTILE PRODUCTION





PRECISION AND SHARPNESS – FOR YOUR SUCCESS!

Whether “razor-sharp” for the finest cuts or “extremely stable” for impact and pressure cuts: for more than 100 years, precision has been the philosophy of our company – in everything we think, produce and and deliver to our customers. Precision guides us from the idea the finished product to the optimum solution for every cutting cutting task. This is the only way we can meet the demands that our customers place on us. In every development and production step – blade by blade. To achieve this, we are committed to high quality, precision

to high quality, precision and sharpness in our work. We define all relevant parameters together with our customers parameters that are necessary to fulfill the individual requirements requirements – for greater sharpness and service life. In doing so always see ourselves as a partner to our customers and not only focus on current but also on future customer future customer requirements.

We want our customers to be successful, because their success is our success.

FROM SOLINGEN TO THE WHOLE WORLD

More than 100 years ago, the history of the company LUTZ began in Solingen. Founded as a contract grinding shop for razor blades, the family business developed over

three generations to become an international and globally active manufacturer of industrial blades for a wide variety of applications applications in numerous industries.

1922

Foundation of
LUTZ BLADES

3

Generations of
Family business

>380

Motivated
employees

23.000

Production area
in m²

>1.500

Standard blades
in the range

>500

Special blades
in the range

IN USE EVERYWHERE

Blades from LUTZ BLADES are used in a wide range of applications – from food production and various industrial sectors to medical and laboratory applications, as well as the tool trade. Renowned companies rely on our expertise, precision, and the reliability of our blades. No matter the purpose for which you need a blade from LUTZ BLADES, you can rest assured that we will provide you with a product that meets your exact requirements.



OUR CERTIFICATES



ISO 13485:2016



DIN EN ISO 50001:2018



DIN EN ISO 9001:2015



THE BEST BLADES FOR TEXTILE PRODUCTION

Cutting processes in the textile industry not only require enormous efficiency, but must also meet the highest quality standards - regardless of whether it is the production of textile floor coverings or the cutting of technical and medical textiles.

With our know-how and experience, we have been equipping numerous market-leading double weaving mills and manufacturers of technical textiles with hook blades, plush knives, edge knives and special blades for many years.

YOUR BENEFITS

with **LUTZ BLADES** knives and blades for textile production:

- Many years of experience in manufacturing industrial 3-hole blades
- Absolutely consistent quality from blade to blade for reliable set use
- Hard coatings significantly extend blade lifetime
- Cleanroom-compatible packaging – also available in customized designs
- Industry-grade packaging for safe and quick on-site handling

DISTINGUISHING FEATURES

of our blades and knives for textile production:

- Wide selection of materials
- Extremely sharp and evenly ground cutting edges
- Uncoated and Teflon-coated versions (e.g. for plush blades)
- Hardness levels and cutting radii tailored to the application
- Tightest tolerances for blade geometry and cutting edge



RANGE EXCERPT BLADES FOR TEXTILE PRODUCTION FROM LUTZ BLADES

	Article description	Blade shape	Coating	Length [mm]	Breite [mm]	Width [mm]	Material
							
	Foil blade-0400	3-hole blades	without, DLC, TiAlN, TiN	43.00	22.20	0.06 – 0.68	carbon steel, stainless steel
	Foil blade black-1533	3-hole blades	without, TiAlN, TiN	43.00	22.20	0.20 – 0.30	carbon steel
	Foil blade-0410	3-hole blades	without, DLC, TiN	43.00	22.20	0.08 – 0.68	carbon steel, stainless steel
	Foil blade-0410	3-hole blades	TiN	43.00	22.20	0.06 – 0.40	stainless steel
	Foil blade-0505	3-hole blades	without, DLC, TiN	43.00	22.00	0.10 – 0.65	tungsten carbide
	Foil blade-1505	3-hole blades	without	43.00	22.00	0.15 – 0.40	ceramic
	Pentagon-2650	Rectangular blades	without	63.00	40.94	0.53	tungsten carbide
	Pentagon-2651	Rectangular blades	without	63.00	40.94	0.53	ceramic

OUR VERSATILE COATING PROGRAM

TiN (Titan-Nitrid)

A standard hard material with high wear resistance and a relatively high coefficient of friction (against the reference material steel: approx. 0.4 to 0.7). Typically gold-colored. Safe application range: up to approx. 300 °C.

TiC (Titanium Carbide)

Offers lower wear resistance compared to TiN but has a significantly lower coefficient of friction (approx. 0.3 to 0.5 against the reference material steel). Typically anthracite in color.

TiCN (Titanium Carbon Nitride)

An intermediate coating material combining the high wear resistance of TiN with the low coefficient of friction of TiC. The properties vary depending on the C/N ratio. Typically anthracite in color.

TiAlN (Titanium Aluminium Nitride)

Provides greater oxidation resistance than TiN, with a comparable coefficient of friction. Typically anthracite blue in appearance.

DLC (Diamond-Like Carbon)

Features high wear resistance with a low coefficient of friction (approx. 0.1 against the reference material steel). Susceptible to impact loads and high temperatures (between 100 and 300 °C, depending on the structure).

Blueing / Blackening


Applied over the entire surface, light corrosion and strength protection, also serves as a differentiation aid. Coatings on the cutting edges can also be combined with full-surface coatings to further improve wear protection.

PTFE (Polytetrafluoroethylene) – Teflon®

A non-stick Teflon® coating (PTFE) that ensures practically no foreign bodies adhere to the cutting edge due to its extremely low surface tension. Resistant to acids and alkalis. Significantly reduces frictional resistance. Very low static friction allows for smooth, jerk-free cutting, making it ideal for medical applications. Has low wear resistance and is unsuitable for contact with sodium or temperatures above 250 °C. A full-surface treatment that provides light corrosion and starch protection. Also serves as a distinguishing aid.

Color Varnish

Applied over the entire surface. Serves as a sorting aid for different material thicknesses and provides corrosion protection.



THE GREAT SELECTION OF MATERIALS

Our product portfolio offers blades with thicknesses ranging from 0.06 to 3.0 mm and final hardnesses between 40 and 85 HRC.

Additionally, you benefit from a large selection of materials, including:

CARBON STEEL

STAINLESS STEEL

HSS

BIMETALL

AUSTENITE

TUNGSTEN CARBIDE

CERAMIC



ALWAYS IN TOP SHAPE: THE CUTTING SHAPES OF OUR BLADES

What does the blade that achieves the best results for your application look like? Does the cutting edge need to work one-sided or twosided? Should it have one, two, or three facets? Does it need to be single-bladed or doublebladed? Concave or convex? Admittedly, that's a lot of questions.

But you can be certain that at LUTZ BLADES, you'll find exactly the right answer.

		1-sided			2-sided		
							
		Single-facet	Double-facet	Triple-facet	Single-facet	Double-facet	Triple-facet
1-bladed		A	B	C	D	E	F
2-bladed		G	H	I	J	K	L
convex		M	N	O	P	R	S
concave		T	U	V	W	X	Y

HEADQUARTERS

LUTZ GmbH & Co. KG
Piepersberg 20,
42653 Solingen
Germany
sales@lutz-blades.com
www.lutz-blades.com

LUTZ Polska Sp. z o.o.
Domaszkowice 25
48-321 Nysa
Poland
info@lutz-blades.pl
www.lutz-blades.com

LUTZ North America, Inc.
1301 Charleston Regional Pkwy
Charleston, SC 29492
USA
sales-us@lutz-blades.com
www.lutz-blades.us

LUTZ India Pvt. Ltd
Boulevard Towers, 5th Floor
Sadhu Vaswani Chowk, Camp Pune
Maharashtra – 411001, India
sales-india@lutz-blades.com
www.lutz-blades.com



All information in this publication is without guarantee. Please refer to our General Terms and Conditions on the Internet at www.lutz-blades.com

Trademark rights: The owner of the trademarks used by LUTZ BLADES is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise indicated). The use and utilization of all trademarks, logos and trademarks is prohibited to third parties. This applies in particular to the internationally registered word mark Figurative mark "LUTZ BLADES exactly". LUTZ BLADES will prosecute any infringement of trademark law.
Copyright: © LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Text, images, graphics, technical drawings, layout and other information in all our publications and their publications as well as their arrangement on the LUTZ BLADES website are protected by copyright and other copyright and other protective laws.