

BLADES FOR THE PRODUCTION OF FOODSTUFFS





IN USE EVERYWHERE

Blades from LUTZ BLADES are used in a wide range of applications – from food production and various industrial sectors to medical and laboratory applications, as well as the tool trade. Renowned companies rely on our expertise, precision, and the reliability of our blades. No matter the purpose for which you need a blade from LUTZ BLADES, you can rest assured that we will provide you with a product that meets your exact requirements.



PRECISION AND SHARPNESS – FOR YOUR SUCCESS!

Whether “razor-sharp” for the finest cuts or “extremely stable” for impact and pressure cuts: for more than 100 years, precision has been the philosophy of our company – in everything we think, produce and deliver to our customers. Precision guides us from the idea of the finished product to the optimum solution for every cutting task. This is the only way we can meet the demands that our customers place on us. In every development and production step – blade by blade. To achieve this, we are committed to high quality, precision

to high quality, precision and sharpness in our work. We define all relevant parameters together with our customers parameters that are necessary to fulfill the individual requirements – for greater sharpness and service life. In doing so always see ourselves as a partner to our customers and not only focus on current but also on future customer requirements.

We want our customers to be successful, because their success is our success.

OUR CERTIFICATES



ISO 13485:2016



DIN EN ISO 50001:2018



DIN EN ISO 9001:2015

FROM SOLINGEN TO THE WHOLE WORLD

More than 100 years ago, the history of the company LUTZ began in Solingen. Founded as a contract grinding shop for razor blades, the family business developed over

three generations to become an international and globally active manufacturer of industrial blades for a wide variety of applications in numerous industries.

1922

Foundation of LUTZ BLADES

3

Generations of Family business

>400

Motivated employees

23,000

Production area in m²

>1,500

Standard blades in our assortment

>500

Special blades in our assortment



THE NEW DERINDING BLADE

DERICUT®

Der neue Standard für Qualität, Zuverlässigkeit und Sicherheit



Single Paper Pack

Single View Pack

Arguments in favor of this product combination:

DERICUT®-Klingen






- Safe to handle thanks to rounded corners
- Produced to the well-known LUTZ quality standard DIN EN ISO 9001:2015
- Material: stainless steel
- Available in material thicknesses of 0.70 and 1.00 mm
- Available in blade widths of 20, 22 and 25 mm
- Available in variable blade lengths from 95 to 900 mm
- Available in special shapes
- Individual marking and labeling of the blades


Custom-fit blade solutions for the following machine manufacturers:

Grasselli®, Maja®, Marel®, Weber®, Cretel®, Steen®, Nock®, Townsend® and many more

SINGLE PAPER PACK / SINGLE PAPER PACK

- Single blade packaging made of recyclable paper or tinted, transparent film
- Cardboard outer box and paper banderole can also be 100 % recycled back into the paper cycle
- Cost reduction by dispensing with PVC packaging (e.g. due to penalties for plastic packaging)
- Convenient and safe blade removal thanks to tear notch and tear strip
- Customized packaging design (SINGLE-PAPERPACK) possible from certain order quantities
- Clear labeling on SINGLE PAPER PACKs for identification of the blade inside.
- Transparent blue tint of the SINGLE VIEW PACKs to increase process safety.

	Article description	LUTZ analog products (skinner)	Length [mm]	Width [mm]	Thickness [mm]	Material
	DERICUT®					
	dericut-3461	skinner-3015	variable	20.00	1.00	stainless steel
	dericut-3462	skinner-3016	variable	20.00	0.70	stainless steel
	dericut-3482	skinner-3059	variable	25.00	1.00	stainless steel
	dericut-3466	skinner-3155	variable	22.00	0.70	stainless steel
	dericut-3467	skinner-3023	variable	22.00	0.70	stainless steel
	dericut-3478	skinner-3064	variable	25.00	0.70	stainless steel
	dericut-3080	skinner-3026	variable	20.00	1.00	stainless steel
	dericut-3468	skinner-3089	variable	22.00	0.70	stainless steel
	dericut-3481	skinner-3143	variable	20.00	1.00	stainless steel



PRECISION BLADES FOR THE FOOD INDUSTRY – MEAT, FISH, POTATO

LUTZ BLADES offers a comprehensive range of high quality replacement blades and machine knives used in the fish, potato and meat processing industries. These cutting

applications place the highest demands on precision and efficiency to ensure optimum product quality.

Meat processing – high-performance cutting tools

In the field of meat processing, LUTZ BLADES offers a wide range of cutting tools for cutting, derinding, skinning and degreasing meat. The derinding and skinning blades in particular are used in the processing of beef, pork and lamb and improve both efficiency and product quality.

LUTZ BLADES offers customized blade solutions for various machine manufacturers such as
Grasselli®, Maja®, Marel®, Weber®, Cretel®, Steen®, Nock®, Townsend®

Fish processing – precision for demanding tasks

In fish processing, LUTZ BLADES supplies excellent blades for filleting, skin removal, deboning and fin removal. These specially developed blades optimize the processing procedure and at the same time increase the quality of the end product. LUTZ BLADES is a leading blade supplier in the fish industry and works successfully with world-renowned companies.

LUTZ BLADES offers customized blade solutions for various machine manufacturers such as
Grasselli®, Maja®, Marel®, Weber®, Cretel®, Steen®, Nock®, Townsend®




Potato chip production – efficiency and quality combined






Smooth or ridged chips and sticks made from potatoes are among the most popular snacks worldwide. Thanks to their precision, the materials used, and the resulting long service life, potato blades from LUTZ BLADES are reliable and efficient tools in the manufacturing process.






LUTZ BLADES offers customized blade solutions for various machine manufacturers such as
Urschel®, Stumabo®, Incalfer®







SORTIMENT EXTRACTION BLADES FOR FOOD PRODUCTION

	Article description	Blade shape	Coating	Length [mm]	Width [mm]	Thickness [mm]	Material
	MEAT PROCESSING						
	poultry blade-1064	trapezoid blades	without	61.60	12.50	0.63	stainless steel
	sausage peeler-1765	rectangular blades	without	17.25	8.20	0.38	stainless steel
	sausage peeler-1766	rectangular blades	without	19.70	8.35	0.38	stainless steel
	sausage peeler-2525	rectangular blades	without	33.32	7.77	0.30	stainless steel
	skinner-3015	rectangular blades	without	variable	20.00	1.00	stainless steel
	skinner-3016	rectangular blades	without	variable	22.00	0.70	stainless steel
	skinner-3026	rectangular blades	without	variable	20.00	1.00	stainless steel
	skinner-3031	rectangular blades	without	554.00	25.00	0.70	stainless steel
	rib puller-3410	concave blades	without	90.00	variabel	0.50	austenite
	hand skinner-7191	rectangular blades	without	95.25	22.00	0.70	stainless steel

	Article description	Blade shape	Coating	Length [mm]	Width [mm]	Thickness [mm]	Material
	FISH PROCESSING						
	skinner-3046	rectangular blades	without	variable	25.00	0.70	stainless steel
	skinner-3057	rectangular blades	without	variable	25.00	1.00	stainless steel
	skinner-3059	rectangular blades	without	variable	25.00	1.00	stainless steel
	skinner-3072	rectangular blades	without	variable	22.00	1.00	stainless steel

	Article description	Blade shape	Coating	Length [mm]	Width [mm]	Thickness [mm]	Material
	POTATO CHIP PROCESSING						
	potato chip blade-2500	rectangular blades	without	106.50	18.90	0.38	carbon steel, stainless steel, austenite
	potato chip blade black-2506	rectangular blades	without	106.50	18.90	0.38	carbon steel
	potato chip blade black-2506	rectangular blades	CrN	106.50	18.90	0.38	carbon steel
	potato chip blade-2510	wavy blades	without	106.60	18.90	0.20	austenite

	Article description	Blade shape	Coating	Length [mm]	Width [mm]	Thickness [mm]	Material
	potato chip blade-2511	wavy blades	without	107.78	18.90	0.127	austenite
	potato chip blade-2512	wavy blades	without	107.50	18.80	0.127	austenite
	potato chip blade-2514	wavy blades	without	107.50	18.90	0.127	austenite
SET OF 2	potato stick blade-2580	rectangular blades	without	105.90	14.25	0.20	austenite
	potato stick blade-2581	rectangular blades	without	103.80	14.25	0.20	austenite
SET OF 2	potato stick blade-2582	rectangular blades	without	99.80	14.25	0.20	austenite
	potato stick blade-2586	rectangular blades	without	100.60	14.25	0.20	austenite

OUR VERSATILE COATING PROGRAM

TiN (Titan-Nitrid)

A standard hard material with high wear resistance and a relatively high coefficient of friction (against the reference material steel: approx. 0.4 to 0.7). Typically gold-colored. Safe application range: up to approx. 300 °C.

TiCN (Titanium Carbon Nitride)

An intermediate coating material combining the high wear resistance of TiN with the low coefficient of friction of TiC. The properties vary depending on the C/N ratio. Typically anthracite in color.

DLC (Diamond-Like Carbon)

Features high wear resistance with a low coefficient of friction (approx. 0.1 against the reference material steel). Susceptible to impact loads and high temperatures (between 100 and 300 °C, depending on the structure).

PTFE (Polytetrafluoroethylene) – Teflon®

A non-stick Teflon® coating (PTFE) that ensures practically no foreign bodies adhere to the cutting edge due to its extremely low surface tension. Resistant to acids and alkalis. Significantly reduces frictional resistance. Very low static friction allows for smooth, jerk-free cutting, making it ideal for medical applications. Has low wear resistance and is unsuitable for contact with sodium or temperatures above 250 °C.

CrN (Chrom-Nitrid)

A hard, corrosion-resistant, and thermally stable PVD coating characterized by low friction coefficients and excellent non-stick properties. It has a low friction coefficient (approx. 0.57 compared to steel). Approved for food processing.

TiAlN (Titanium Aluminium Nitride)


Provides greater oxidation resistance than TiN, with a comparable coefficient of friction. Typically anthracite blue in appearance.

Blueing / Blackening („lusionieren“)

A full-surface treatment that provides light corrosion and starch protection. Also serves as a distinguishing aid.

Color Varnish

Applied over the entire surface. Serves as a sorting aid for different material thicknesses and provides corrosion protection.



THE GREAT SELECTION OF MATERIALS

Our product portfolio offers blades with thicknesses ranging from 0.06 to 3.0 mm and final hardnesses between 40 and 85 HRC.

Additionally, you benefit from a large selection of materials, including:

CARBON STEEL

STAINLESS STEEL

HSS

BIMETALL

AUSTENITE

TUNGSTEN CARBIDE

CERAMIC

ALWAYS IN TOP SHAPE: THE CUTTING SHAPES OF OUR BLADES

What does the blade that achieves the best results for your application look like? Does the cutting edge need to work one-sided or two-sided? Should it have one, two, or three facets? Does it need to be single-bladed or double-bladed? Concave or convex? Admittedly, that's a lot of questions. But you can be certain that at LUTZ BLADES, you'll find exactly the right answer.

		1-sided			2-sided		
		Single-facet	Double-facet	Triple-facet	Single-facet	Double-facet	Triple-facet
1-bladed		A	B	C	D	E	F
2-bladed		G	H	I	J	K	L
convex		M	N	O	P	R	S
concave		T	U	V	W	X	Y

HEADQUARTERS

LUTZ GmbH & Co. KG
Piepersberg 20,
42653 Solingen
Germany
sales@lutz-blades.com
www.lutz-blades.com

LUTZ Polska Sp. z o.o.
Domaszkowice 25
48-321 Niwnica (Nysa)
Poland
info@lutz-blades.pl
www.lutz-blades.com

LUTZ North America, Inc.
1301 Charleston Regional Pkwy
Charleston, SC 29492
USA
sales-us@lutz-blades.com
www.lutz-blades.us

LUTZ India Pvt. Ltd
Boulevard Towers, 5th Floor
Sadhu Vaswani Chowk, Camp Pune
Maharashtra – 411001, India
sales-india@lutz-blades.com
www.lutz-blades.com



All information in this publication is without guarantee. Please refer to our General Terms and Conditions on the Internet at www.lutz-blades.com

Trademark rights: The owner of the trademarks used by LUTZ BLADES is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise indicated). The use and utilization of all trademarks, logos and trademarks is prohibited to third parties. This applies in particular to the internationally registered word mark Figurative mark "LUTZ BLADES exactly". LUTZ BLADES will prosecute any infringement of trademark law.
Copyright: © LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Text, images, graphics, technical drawings, layout and other information in all our publications and their publications as well as their arrangement on the LUTZ BLADES website are protected by copyright and other copyright and other protective laws.